



Test Conformity

This test conformity is issued under the sole responsibility of the manufacturer:

TST Sweden AB

Segloravägen 22

504 64 Borås

Sweden

+46 (0)320 20 58 80

info@tst-sweden.se

Object of the test conformity:

Hose Protection Ø65 mm

ART. NO: 5660063

Report number: TU013-2024-TST 7

Date: 2024-09-03

SPIR STAR

Country: Germany

Test protocol:

Burst pressure test of TST hose protection/ shroud

Inner diameter 65mm

with high pressure hose ID 6mm VIPER and burst pressure >1800bar

1. Test Specimen

Hose Type: 6mm VIPER TEST 7

Inner diameter hose: 5,90mm

Free-hose Length: 700mm

TST Hose protection Length: 750mm

TST Hose protection

Inner diameter: 65mm

TST Hose protection Nr. 5660063 5920

2. Test Equipment List

Test equipment : Burst Pressure Test stand

Test unit no. TU013

Pressure Sensor #346 (SN164510384)

3. Test Conditions

min. Target Burst Pressure: 1800bar

Installed position: straight

Quantity of sample: 1

Test Temperature: ambient

Medium: Special Medium for high pressure testing

4. Test Result


Hose type 6mm VIPER reached a burst pressure of 2226 bar.

We could not find any damages on the inside or outside of the TST hose protection/shroud after burst test.




SAVING LIVES

5. Annex



Picture 1: installed hose sample with TST hose/protection shroud



Picture 2: Pressure curve of burst test

Signed for and on behalf of TST-Sweden AB.

Borås, Sweden, 2025-10-28

Catrin Tammjärv
R&D Manager
TST Sweden AB